

	Type	Hits	Search Text	Dbs	Time Stamp	Comments
1	BRS	0	vector\$1 with network\$1 with analyzer41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:13	
2	BRS	2616	voltage\$1 with ((standing adj wave) or standing- wave) with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:14	
3	BRS	4566	((vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:44	
4	BRS	19	((vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) and time adj domain adj reflectometry	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 14:25	
5	BRS	6	((vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) and time adj domain adj reflectometry and network with analyzer4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:20	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
6	BRS	2	(vswr or (voltage\$1 adj standing-wave) adj ratio)) and time adj domain with reflect\$6 and network with analy\$4 with discontinu\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:19	
7	BRS	3	(vswr or (voltage\$1 adj standing-wave) adj ratio)) and time adj domain with reflect\$6 and network with analy\$4 with (discontinu\$5 or loss\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:22	
8	BRS	0	(vswr or (voltage\$1 adj standing-wave) adj ratio)) with (lobe or peak or minima or maxima) and time adj domain with reflect\$6 and network with analy\$4 with (discontinu\$5 or loss\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:24	

	Type	Hits	Search Text	Dbs	Time Stamp	Comments
9	BRS	0	(vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) same (lobe or peak or minima or maxima) and time adj domain with reflect\$6 and network with analy\$4 with (discontinu\$5 or loss\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:24	
10	BRS	0	(vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) and time adj domain with reflect\$6 and network with analy\$4 with (discontinu\$5 or discontinu\$5or loss\$2) same (lobe or peak or minima or maxima)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:25	
11	BRS	0	(vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) and time adj domain same reflect\$6 and network with analy\$4 with (discontinu\$5 or discontinu\$5or loss\$2) same (lobe or peak or minima or maxima)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:26	

	Type	Hits	Search Text	Dbs	Time Stamp	Comments
12	BRS	0	(vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) and time adj domain same reflect\$6 and network with analy\$4 with (discontinu\$5 or dis-continu\$5or loss\$2) and (lobe\$1 or peak\$1 or minima or maxima)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:26	
13	BRS	0	(vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) and time adj domain same reflect\$6 and network with analy\$4 with (discontinu\$5 or dis-continu\$5or loss\$2) and (lobe\$1 or peak\$1 or minima\$1 or maxima\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:26	
14	BRS	6	(vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) and time adj domain same reflect\$6 and network with analy\$4 same (discontinu\$5 or dis-continu\$5or loss\$2) and (lobe\$1 or peak\$1 or minima\$1 or maxima\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:26	

	Type	Hits	Search Text	Dbs	Time Stamp	Comments
15	BRS	1	"6329805".PN.	USPAT; USOCR	2005/01/31 08:28	
16	BRS	1	"5003253".PN.	USPAT; USOCR	2005/01/31 08:28	
17	BRS	1	"4758775".PN.	USPAT; USOCR	2005/01/31 08:28	
18	BRS	0	((vswr or (voltage\$1 adj standing adj wave) or standing-wave) adj ratio)) and time with domain with reflect\$6 and network with analy\$4 with (determin\$3 or identify\$3) with (discontin\$5 or loss\$2 or lost)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:30	
19	BRS	0	((vswr or (voltage\$1 adj standing adj wave) or standing-wave) adj ratio)) and time with domain with measur\$6 and network with analy\$4 with (determin\$3 or identify\$3) with (discontin\$5 or loss\$2 or lost)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:31	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
20	BRS	2	((vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) and time with domain with measur\$6 and network with analy\$4 same (determin\$3 or identify\$3) with (discontin\$5 or loss\$2 or lost)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:38	
21	BRS	13	Network with analy\$3 with measur\$6 with antenna with loss\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:39	
22	BRS	2	Network with analy\$3 with measur\$6 with antenna with loss\$2 and time with domain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:39	
23	BRS	3	Network with analy\$3 same measur\$6 with antenna with loss\$2 and (time-domain or time with domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:41	
24	BRS	11	Network with analy\$3 with measur\$6 with loss\$2 and (time-domain or time with domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:43	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
25	BRS	3	Network with analy\$3 with measur\$6 with loss\$2 and (time-domain or time with domain) and antenna	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:42	
26	BRS	3	Network with analy\$3 with measur\$6 with loss\$2 and (time-domain or time with domain) and antenna\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:42	
27	BRS	79	Network with analy\$3 and measur\$6 with loss\$2 and (time-domain or time with domain) and transmit\$4 with receiv\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:44	
28	BRS	12	Network with analy\$3 and measur\$6 with loss\$2 and (time-domain or time with domain) and transmit\$4 with receiv\$3 and (vswr or voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:47	

	Type	Hits	Search Text	Dbs	Time Stamp	Comments
29	BRS	0	Network with analy\$3 and (dtermin\$3 or identify\$3) with measur\$6 with loss\$2 and (time-domain or time with domain) and transmit\$4 with receiv\$3 and (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:45	
30	BRS	0	Network with analy\$3 and (dtermin\$3 or identify\$3) with loss\$2 and (time-domain or time with domain) and transmit\$4 with receiv\$3 and (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:45	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
31	BRS	11	Network with analy\$3 and measur\$6 with loss\$2 and (time-domain or time with domain) and transmit\$4 with receiv\$3 and (vswr or (voltage\$1 adj ((standing-wave) adj ratio)) and reflect\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:49	
32	BRS	2	Network with analy\$3 and measur\$6 with loss\$2 same (time-domain or time with domain) with reflect\$6 and transmit\$4 with receiv\$3 and (vswr or (voltage\$1 adj ((standing-wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:50	
33	BRS	6	Network with analy\$3 and measur\$6 with loss\$2 and (time-domain or time with domain) with reflect\$6 and transmit\$4 with receiv\$3 and (vswr or (voltage\$1 adj ((standing-wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:52	

	Type	Hits	Search Text	Dbs	Time Stamp	Comments
34	BRS	2	Network with analy\$3 and loss\$2 with transmit\$4 with receiv\$3 with reflect\$6 and (time-domain or time with domain) with reflect\$6 and (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:53	
35	BRS	3	Network with analy\$3 and loss\$2 with transmit\$4 with receiv\$3 with reflect\$6 and (time-domain or time with domain) with reflect\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:54	
36	BRS	3	Network with analy\$3 and loss\$2 with transmit\$4 with receiv\$3 with reflect\$6 and (time-domain or time with domain) same reflect\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:54	
37	BRS	6	Network with analy\$3 and loss\$2 with transmit\$4 with receiv\$3 with reflect\$6 and (time-domain or time with domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:57	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
38	BRS	2	Network with analy\$3 and loss\$2 with transmit\$4 with receiv\$3 with reflect\$6 and (time-domain or time with domain) and (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:58	
39	BRS	2	Network with analy\$3 and (discontinu\$5 or discontinu\$5 or loss\$2) with transmit\$4 with receiv\$3 with reflect\$6 and (time-domain or time with domain) and (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 13:17	
40	BRS	5	Network with analy\$3 and (discontinu\$5 or discontinu\$5 or loss\$2) with transmit\$4 with receiv\$3 with reflect\$6 and (time-domain or time with domain) and ratio with wave\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 09:01	

	Type	Hits	Search Text	Dbs	Time Stamp	Comments
41	BRS	7	Network with analy\$3 and (discontin\$5 or discontinu\$5 or loss\$2) with transmit\$4 with receiv\$3 and reflect\$6 with (time-domain or time with domain) and ratio with wave\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 09:10	
42	BRS	2	"20030033099"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 09:09	
43	BRS	14	Network with analy\$3 and (determin\$3 or identify\$3) with (discontin\$5 or discontinu\$5 or loss\$2) and transmit\$4 with receiv\$3 and reflect\$6 with (time-domain or time with domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 09:46	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
			Network with analy\$3 and (determin\$3 or identify\$3) with (offset\$1 or deviat\$3 or differen\$2 or discontin\$5 or dis- contin\$5 or loss\$2) with transmit\$4 with receiv\$3 and reflect\$6 with (time- domain or time with domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 09:44	
44	BRS	6				
45	BRS	7052	455/423- 425,522,67.11,67.14,67.16, 69,70,101,103,115.1- 115.4,132-134.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 09:33	
46	BRS	8153	455/423- 425,522,67.11,67.14,67.16, 69,70,101,103,115.1- 115.4,132-134,226.1- 226.4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 09:33	
47	BRS	8292	455/423- 425,522,67.11,67.14,67.16, 69,70,101,103,115.1- 115.4,132-134,226.1- 226.4,236.1-237.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 09:33	
48	BRS	8679	455/423- 425,522,67.11,67.14,67.16, 69,70,101,103,115.1- 115.4,132-134,226.1-	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 09:34	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
49	BRS	352	702/106,122.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 09:54	
50	BRS	0	"6842614".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 09:45	
51	BRS	7	Network with analy\$3 same (determin\$3 or identify\$3 or measur\$6) with (discontin\$5 or dis- contin\$5 or loss\$2) and transmit\$4 with receiv\$3 and reflect\$6 with (time- domain or time with domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 10:37	
52	BRS	632	702/76,106,122.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 15:01	
53	BRS	977	324/76.12,76.39.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 09:55	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
54	BRS	27	(vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) and time adj domain with reflect\$6 and network with analy\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 10:05	
55	BRS	4	(vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) same time adj domain with reflect\$6 and network with analy\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 10:05	
56	BRS	74	Network with analy\$3 and (determin\$3 or identify\$3 or measur\$6) with (discontinu\$5 or dis- continu\$5 or loss\$2) and transmit\$4 with receiv\$3 with reflect\$6 and (time- domain or time with domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/02 08:43	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
57	BRS	10	Network with analy\$3 and (determin\$3 or identify\$3 or measur\$6) with (discontinu\$5 or discontinu\$5 or loss\$2) and transmit\$4 with receiv\$3 with reflect\$6 and (time-domain or time with domain) and (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 10:46	
58	BRS	0	vector\$1 with Network with analy\$3 same (determin\$3 or identify\$3 or measur\$6) with (discontinu\$5 or discontinu\$5 or loss\$2) and (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 10:47	

	Type	Hits	Search Text	Dbs	Time Stamp	Comments
59	BRS	6	vector\$1 with Network with analy\$3 and (determin\$3 or identify\$3 or measur\$6) with (discontinu\$5 or dis- continu\$5 or loss\$2) and transmit\$4 with receiv\$3 with reflect\$6 and (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 10:49	
60	BRS	2	vector\$1 with Network with analy\$3 with (vswr or (voltage\$1 adj ((standing adj wave) or standing- wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 10:48	
61	BRS	0	vector\$1 with Network with analy\$3 same (vswr or (voltage\$1 adj ((standing adj wave) or standing- wave) adj ratio)) and (determin\$3 or identify\$3 or measur\$6) with (discontinu\$5 or dis- continu\$5 or loss\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 10:50	

	Type	Hits	Search Text	Dbs	Time Stamp	Comments
62	BRS	28	vector\$1 with Network with analy\$3 and (determin\$3 or identify\$3 or measur\$6) with (discontinu\$5 or dis- continu\$5 or loss\$2) and (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 10:50	
63	BRS	0	vector\$1 with Network with analy\$3 and (determin\$3 or identify\$3 or measur\$6) with (discontinu\$5 or dis- continu\$5 or loss\$2) with transmit\$4 with reflect\$6 and (time-domain or time with domain) and (vswr or (voltage\$1 adj ((standing adj wave) or standing- wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 10:58	

Type	Hits	Search Text	DBs	Time Stamp	Comments
64 BRS	0	vector\$1 with Network with analy\$3 and (discontinu\$5 or dis-continu\$5 or loss\$2) with transmit\$4 with reflect\$6 and (time- domain or time with domain) and (vswr or (voltage\$1 adj ((standing adj wave) or standing- wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 10:58	
65 BRS	3	vector\$1 with Network with analy\$3 and (discontinu\$5 or dis-continu\$5 or loss\$2) with transmit\$4 and (time-domain or time with domain) and (vswr or (voltage\$1 adj ((standing adj wave) or standing- wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:00	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
66	BRS	3	vector\$1 with Network and (discontinuu\$5 or discontinuu\$5 or loss\$2) with transmit\$4 and (time-domain or time with domain) and (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:00	
67	BRS	3	vector\$1 with Network and (discontinuu\$5 or discontinuu\$5 or loss\$2 or interfer\$4) with transmit\$4 and (time-domain or time with domain) and (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:48	

Type	Hits	Search Text	DBs	Time Stamp	Comments
68 BRS	0	vector\$1 with Network same (discontin\$5 or discontinu\$5 or loss\$2 or interfer\$4) and (time- domain or time with domain) and (vswr or (voltage\$1 adj ((standing adj wave) or standing- wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:29	
69 BRS	1	vector\$1 with Network same (discontin\$5 or discontinu\$5 or loss\$2 or interfer\$4) and (vswr or (voltage\$1 adj ((standing adj wave) or standing- wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:30	
70 BRS	4	vector\$1 with Network same (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) and (discontin\$5 or discontinu\$5 or loss\$2 or interfer\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:33	

	Type	Hits	Search Text	Dbs	Time Stamp	Comments
71	BRS	4	vector\$1 with Network same (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) and (discontin\$5 or dis- contin\$5 or loss\$2 or interfer\$4 or dismatch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:33	
72	BRS	50	vector\$1 with Network and (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) and (discontin\$5 or dis- contin\$5 or loss\$2 or interfer\$4 or dismatch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:34	
73	BRS	0	vector\$1 with Network with (discontin\$5 or dis- contin\$5 or loss\$2 or interfer\$4 or dismatch\$3) and (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:34	

	Type	Hits	Search Text	Dbs	Time Stamp	Comments
74	BRS	1	vector\$1 with Network same (discontin\$5 or discontinu\$5 or loss\$2 or interfer\$4 orismatch\$3) and (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:35	
75	BRS	284	vector\$1 with Network same (discontin\$5 or discontinu\$5 or loss\$2 or interfer\$4 orismatch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:35	
76	BRS	119	vector\$1 with Network with (discontin\$5 or discontinu\$5 or loss\$2 or interfer\$4 orismatch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:36	
77	BRS	14	vector\$1 with Network with (discontin\$5 or discontinu\$5 or loss\$2 or interfer\$4 orismatch\$3) and reflect\$5 with transmit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:43	

	Type	Hits	Search Text	Dbs	Time Stamp	Comments
78	BRS	3	vector\$1 with Network with (identify\$3 or determin\$3) with (discontinu\$5 or discontinu\$5 or loss\$2 or interfere\$4 orismatch\$3) and reflect\$5 with transmit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:44	
79	BRS	5	vector\$1 with Network same (identify\$3 or determin\$3) with (discontinu\$5 or discontinu\$5 or loss\$2 or interfere\$4 orismatch\$3) and reflect\$5 with transmit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:47	
80	BRS	2	vector\$1 same Network with analy\$3 same (identify\$3 or determin\$3) with (discontinu\$5 or discontinu\$5 or loss\$2 or interfere\$4 orismatch\$3) and reflect\$5 with transmit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:48	
81	BRS	54	vector\$1 with Network and (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:57	

	Type	Hits	Search Text	Dbs	Time Stamp	Comments
82	BRS	2	vector\$1 with Network with (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:58	
83	BRS	4	vector\$1 with Network same (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:56	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
84	BRS	15	vector\$1 with Network and (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) and (identify\$3 or determin\$3) with (discontinu\$5 or dis- continu\$5 or loss\$2 or interfer\$4 or mismatch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:00	
85	BRS	15	vector\$1 with Network and (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) and (identify\$3 or determin\$3) with (discontinu\$5 or dis- continu\$5 or loss\$2 or interfer\$4 or mismatch\$3 or delay\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 13:39	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
86	BRS	7	vector\$1 with Network and (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) and (identify\$3 or determin\$3) with (discontinu\$5 or dis- continu\$5 or loss\$2 or interfer\$4 or mismatch\$3 or delay\$1) and transmit\$4 with receive\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 15:05	
87	BRS	10	vector\$1 with Network and (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) and (identify\$3 or determin\$3) with (discontinu\$5 or dis- continu\$5 or loss\$2 or interfer\$4 or mismatch\$3 or delay\$1) and (time- domain\$1 or time adj domain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:11	

	Type	Hits	Search Text	Dbs	Time Stamp	Comments
88	BRS	13	vector\$1 with Network and (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) and (identify\$3 or determin\$3) with (discontinu\$5 or dis- continu\$5 or loss\$2 or interfer\$4 orismatch\$3 or delay\$1) and reflect\$3 with time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:05	
89	BRS	13	vector\$1 with Network and (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) and (identify\$3 or determin\$3 or measur\$6) with (discontinu\$5 or dis- continu\$5 or loss\$2 or interfer\$4 orismatch\$3 or delay\$1) and reflect\$3 with time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:06	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
90	BRS	12	vector\$1 same Network with analy\$3 and (vswr or (voltage\$1 adj ((standing adj wave) or standing- wave) adj ratio)) and (identify\$3 or determini\$3 or measur\$6) with (discontinu\$5 or dis- continu\$5 or loss\$2 or interfer\$4 or mismatch\$3 or delay\$1) and reflect\$3 with time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:08	
91	BRS	7	vector\$1 same Network with analy\$3 and (vswr or (voltage\$1 adj ((standing adj wave) or standing- wave) adj ratio)) and (discontinu\$5 or dis- continu\$5 or loss\$2 or interfer\$4 or mismatch\$3 or delay\$1) and reflect\$3 with (time-domain\$1 or time adj domain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:42	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
92	BRS	0	vector\$1 with Network same (identify\$3 or determin\$3) with (discontinu\$5 or discontinu\$5 or loss\$2 or interfer\$4 or dismatch\$3 or delay\$1) and reflect\$3 with (time-domain\$1 or time adj domain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:11	
93	BRS	2	vector\$1 with Network same (identify\$3 or determin\$3 or measur\$6) with (discontinu\$5 or discontinu\$5 or loss\$2 or interfer\$4 or dismatch\$3 or delay\$1) and reflect\$3 with (time-domain\$1 or time adj domain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:30	
94	BRS	0	vector\$1 with Network same (identify\$3 or determin\$3 or measur\$6) with (discontinu\$5 or discontinu\$5 or loss\$2 or interfer\$4 or dismatch\$3 or delay\$1) and reflect\$3 with (time-domain\$1 or time adj domain\$1) and transmit\$4 with receive\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:13	

Type	Hits	Search Text	DBs	Time Stamp	Comments
95 BRS 1		vector\$1 with Network same (identify\$3 or determin\$3 or measur\$6) with (discontinu\$5 or dis- continu\$5 or loss\$2 or interfer\$4 or mismatch\$3 or delay\$1) and reflect\$3 with (time-domain\$1 or time adj domain\$1) and transmit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:14	
96 BRS 19		(vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) and time adj domain adj reflectometry	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:23	
97 BRS 1		vector\$1 with Network same (identify\$3 or determin\$3 or measur\$6) with (discontinu\$5 or dis- continu\$5 or loss\$2 or interfer\$4 or mismatch\$3 or delay\$1) and reflect\$3 with (time-domain\$1 or time adj domain\$1) and measur\$6 with transmit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:35	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
98	BRS	0	vector\$1 with Network same (identify\$3 or determin\$3 or measur\$6) with (discontinu\$5 or discontinu\$5 or loss\$2 or interfer\$4 or dismatch\$3 or delay\$1) and reflect\$3 with (time-domain\$1 or time adj domain\$1) and antenna with feed\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:35	
99	BRS	1	vector\$1 with Network same (identify\$3 or determin\$3 or measur\$6) with (discontinu\$5 or discontinu\$5 or loss\$2 or interfer\$4 or dismatch\$3 or delay\$1) and (time-domain\$1 or time adj domain\$1) and antenna with feed\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:35	
100	BRS	18	"5307284".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:40	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
101	BRS	0	"5307284".uref. and (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/31 12:41	
102	BRS	7	"5307284".uref. and display\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/31 12:41	
103	BRS	2	vector\$1 same Network with analy\$3 and reflect\$3 with (time-domain\$1 or time adj domain\$1) and user with interface with display\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/31 12:47	
104	BRS	0	vector\$1 same Network with analy\$3 with user with interface with display\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/31 12:46	
105	BRS	5	vector\$1 same Network with analy\$3 same user with interface with display\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/31 12:46	
106	BRS	56	vector\$1 same Network with analy\$3 and user with interface with display\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/31 12:46	

	Type	Hits	Search Text	Dbs	Time Stamp	Comments
107	BRS	2	vector\$1 same Network with analyz\$3 and user with interface with display\$3 and reflect\$3 with (time- domain or time adj domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:49	
108	BRS	8	vector\$1 same Network with analyz\$3 with display\$3 and reflect\$3 with (time- domain or time adj domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:50	
109	BRS	11	Network with analyz\$3 and (time adj domain\$1 or time-domain\$1) with reflect\$3 and (vswr or (voltage\$1 adj ((standing adj wave) or standing- wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 13:14	
110	BRS	39	vector\$1 adj Network adj analyz\$3 and (time adj domain\$1 or time-domain\$1) with reflect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 13:01	
111	BRS	34	"4630228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 13:14	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
112	BRS	9	"4630228" and network\$1 with analyz\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 13:15	
113	BRS	2	"4630228" and network\$1 with analyz\$3 and (time- domain\$1 or time-domain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 13:15	
114	BRS	46	vector\$1 with Network with analy\$3 and (vswr or (voltage\$1 adj ((standing adj wave) or standing- wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 13:17	
115	BRS	7	vector\$1 with Network with analy\$3 and (vswr or (voltage\$1 adj ((standing adj wave) or standing- wave) adj ratio)) and reflect\$3 with (time- domain\$1 or time adj domain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 13:19	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
			vector\$1 with Network with analy\$3 and (vswr or (voltage\$1 adj ((standing adj wave) or standing- wave) adj ratio)) and reflect\$3 and transmit\$4 same receive\$3 and (time- domain\$1 or time adj domain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 13:24	
116	BRS	19	vector\$1 with Network with analy\$3 and (vswr or (voltage\$1 adj ((standing adj wave) or standing- wave) adj ratio)) and reflect\$3 same (time- domain\$1 or time adj domain\$1) and transmit\$4 same receive\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 13:24	
117	BRS	14	vector\$1 with Network with analy\$3 and (vswr or (voltage\$1 adj ((standing adj wave) or standing- wave) adj ratio)) and reflect\$3 same (time- domain\$1 or time adj domain\$1) and transmit\$4 same receive\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 13:24	
118	BRS	3	vector\$1 with Network with analy\$4 and (identify\$3 or determine\$3 or mesure\$6) with (discontinu\$5 or dis- continu\$5 or loss\$2 or interfer\$4 or mismatch\$3 or delay\$1) with reflect\$ with (time-domain\$1 or time adj domain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 13:42	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
			vector\$1 with Network with analy\$4 and (identify\$3 or determin\$3 or mesur\$6) with (discontinu\$5 or dis- continu\$5 or loss\$2 or interfer\$4 or mismatch\$3 or delay\$1) same reflect\$ with (time-domain\$1 or time adj domain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 08:22	
119	BRS	14				
			vector\$1 with Network with analy\$4 same (identify\$3 or determin\$3 or mesur\$6) with (discontinu\$5 or dis- continu\$5 or loss\$2 or interfer\$4 or mismatch\$3 or delay\$1) and reflect\$ with (time-domain\$1 or time adj domain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 14:23	
120	BRS	1				

Type	Hits	Search Text	DBs	Time Stamp	Comments
121 BRS	0	vector\$1 with Network with analy\$4 same (identify\$3 or determin\$3 or mesur\$6) with (discontinu\$5 or dis- continu\$5 or loss\$2 or interfer\$4 or dismatch\$3 or delay\$1) with (peak\$1 or maxima\$1 or minima\$1) and reflect\$ with (time- domain\$1 or time adj domain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 14:24	
122 BRS	0	vector\$1 with Network with analy\$4 and (identify\$3 or determin\$3 or mesur\$6) with (discontinu\$5 or dis- continu\$5 or loss\$2 or interfer\$4 or dismatch\$3 or delay\$1) with (peak\$1 or maxima\$1 or minima\$1) and reflect\$ with (time- domain\$1 or time adj domain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 14:24	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
			(vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) with (peak\$1 or lobe\$1 or maxima\$1 or minima\$1) and time adj domain adj reflectometry	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 14:26	
123	BRS	0				
			(vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) with (peak\$1 or lobe\$1 or maxima\$1 or minima\$1) and (time-domain\$1 or time with domain\$1) with reflect\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 14:42	
124	BRS	2				
			"4630228".uref. and (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) with (peak\$1 or lobe\$1 or maxima\$1 or minima\$1) and (time-domain\$1 or time with domain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 14:42	
125	BRS	0				

	Type	Hits	Search Text	DBs	Time Stamp	Comments
126	BRS	0	"4630228".uref. and (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) with (peak\$1 or lobe\$1 or maxima\$1 or minima\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 14:43	
127	BRS	151	((vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) with (peak\$1 or lobe\$1 or maxima\$1 or minima\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 15:04	
128	BRS	11	((vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) with (peak\$1 or lobe\$1 or maxima\$1 or minima\$1) and (identify\$3 or determini\$3 or mesur\$6) with (discontin\$5 or discontinu\$5 or loss\$2 or interfer\$4 or mismatch\$3 or delay\$1 or fault\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 14:46	

Type	Hits	Search Text	DBs	Time Stamp	Comments
129 BRS	1	(vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) with (peak\$1 or lobe\$1 or maxima\$1 or minima\$1) and (identify\$3 or determini\$3 or mesur\$6) with (discontinuu\$5 or dis- continuu\$5 or loss\$2 or interfer\$4 orismatch\$3 or delay\$1 or fault\$1) and (time-domain\$1 or time with domain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 14:59	
130 BRS	1	"4440985".PN.	USPAT; USOCR	2005/01/31 14:58	
131 BRS	1	"4313169".PN.	USPAT; USOCR	2005/01/31 14:58	
132 BRS	6	(vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) with (peak\$1 or lobe\$1 or maxima\$1 or minima\$1) and (time-domain\$1 or time with domain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 14:59	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
133	BRS	768	702/59,76,106,122.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 15:03	
134	BRS	2163	convert\$3 with (time- domain\$1 or time adj domain\$1) with (frequency- domain\$1 or frequency adj domain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 15:04	
135	BRS	0	((vswr or (voltage\$1 adj (standing adj wave) or standing-wave) adj ratio)) with (peak\$1 or lobe\$1 or maxima\$1 or minima\$1) and convert\$3 with (time- domain\$1 or time adj domain\$1) with (frequency- domain\$1 or frequency adj domain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 15:04	

	Type	Hits	Search Text	Dbs	Time Stamp	Comments
			vector\$1 with Network and (identify\$3 or determin\$3 or measur\$6) with (discontin\$5 or discontinu\$5 or loss\$2 or interfere\$4 orismatch\$3 or delay\$1 or fault\$1) and convert\$3 with (time-domain\$1 or time adj domain\$1) with (frequency-domain\$1 or frequency adj domain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 09:17	
136	BRS	33				
137	BRS	18	vector\$1 with Network with transmission with line with analyzer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 15:52	
138	BRS	0	(vna or (vector\$1 with Network)) with transmission adj line adj analyzer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 15:53	
139	BRS	19	(vna or (vector\$1 with Network)) with transmission with line with analyzer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 15:54	

	Type	Hits	Search Text	Dbs	Time Stamp	Comments
140	BRS	0	(vna or (vector\$1 with Network)) same transmission adj line adj analyzer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/31 15:55	
141	BRS	0	(vna or (vector\$1 with Network)) and transmission adj line adj analyzer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/31 15:55	
142	BRS	0	vector\$1 with transmission adj line adj analyzer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/31 15:55	
143	BRS	0	vector\$1 same transmission adj line adj analyzer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/31 15:57	
144	BRS	23	vector\$1 same transmission with line with analyzer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/31 15:56	
145	BRS	9	transmission adj line adj analyzer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/31 15:57	

	Type	Hits	Search Text	Dbs	Time Stamp	Comments
146	IS&R	2	("5642039").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 16:29	
147	BRS	37	vector\$1 with Network with analy\$4 and (identify\$3 or determin\$3 or mesur\$6) with (discontinu\$5 or dis- continu\$5 or loss\$2 or interfer\$4 or dismatch\$3 or delay\$1 or fault\$1) and reflect\$ with (time- domain\$1 or time adj domain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 09:02	
148	BRS	10	vector\$1 with Network with analy\$4 and (identify\$3 or determin\$3 or mesur\$6) with (discontinu\$5 or dis- continu\$5 or loss\$2 or interfer\$4 or dismatch\$3 or delay\$1 or fault\$1) and reflect\$ with (time- domain\$1 or time adj domain\$1) and transmit\$4 with receiv\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 08:49	

	Type	Hits	Search Text	Dbs	Time Stamp	Comments
149	BRS	10	vector\$1 with Network with reflect\$ with (time-domain\$1 or time adj domain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 09:03	
150	BRS	0	vector\$1 with Network with analy\$4 with user with interface with display\$3 with processor and reflect\$ with (time-domain\$1 or time adj domain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 09:04	
151	BRS	0	vector\$1 with Network with analy\$4 and user with interface with display\$3 with processor and reflect\$ with (time-domain\$1 or time adj domain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 09:04	
152	BRS	10	vector\$1 with Network with analy\$4 and user with interface same display\$3 with processor and reflect\$ with (time-domain\$1 or time adj domain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 09:30	

	Type	Hits	Search Text	Dbs	Time Stamp	Comments
153	IS&R	4	("4244024").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 09:10	
154	BRS	16	vector\$1 with Network and (identify\$3 or determini\$3 or measur\$6) with (discontin\$5 or loss\$2 or interfer\$4 or dismatch\$3 or delay\$1 or fault\$1) and (time-domain\$1 or time adj domain\$1) and (vswr or (voltage\$1 adj ((standing adj wave) or standing- wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 09:17	
155	BRS	0	vector\$1 with Network with user with interface same display\$3 and reflect\$ with (time-domain\$1 or time adj domain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 09:31	
156	BRS	0	vector\$1 with Network same user with interface with display\$3 and reflect\$ with (time-domain\$1 or time adj domain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 09:32	

	Type	Hits	Search Text	Dbs	Time Stamp	Comments
157	BRS	3	vector\$1 with Network and user with interface with display\$3 and reflect\$ with (time-domain\$1 or time adj domain\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 09:35	
158	BRS	4	vector\$1 with Network and user with interface with display\$3 and (TDR or (reflect\$ with (time-domain\$1 or time adj domain\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 09:35	
159	BRS	4	vector\$1 with Network and user\$1 with interface with display\$3 and (TDR or (reflect\$ with (time-domain\$1 or time adj domain\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 09:39	
160	BRS	17	vector\$1 with Network and user\$1 with interface same display\$3 and (TDR or (reflect\$ with (time-domain\$1 or time adj domain\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 09:40	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
161	BRS	17	vector\$1 with Network\$1 and user\$1 with interface same display\$3 and (TDR or (reflect\$ with (time-domain\$1 or time adj domain\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 11:46	
162	BRS	1	vector\$1 with Network\$1 and user\$1 with interface same display\$3 and (TDR or (reflect\$ with (time-domain\$1 or time adj domain\$1))) and electromagnetic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:11	
163	BRS	0	display\$3 with user\$1 with interface with scrollable with marker\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:12	
164	BRS	59	display\$3 with user\$1 with interface with scrollable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:12	
165	BRS	3	visual with display\$3 with user\$1 with interface with scrollable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 15:54	

	Type	Hits	Search Text	Dbs	Time Stamp	Comments
166	BRS	24	(vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) with lobe\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:32	
167	BRS	0	(vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) adj lobe\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:26	
168	BRS	0	measurement\$1 with (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) with lobe\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:33	
169	BRS	0	measurement\$1 with (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) same lobe\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:33	
170	BRS	1	measur\$6 with (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) same lobe\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:36	

Type	Hits	Search Text	DBs	Time Stamp	Comments
171 BRS	3	measur\$6 same (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) same lobe\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:39	
172 BRS	58	(vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) same lobe\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:41	
173 BRS	0	(vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) same lobe\$1 and ((time adj domain\$1) or time-domain\$1) with reflect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:41	
174 BRS	1	(vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) same lobe\$1 and network with analy\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:44	
175 BRS	195	(vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) with return with loss	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:45	

	Type	Hits	Search Text	Dbs	Time Stamp	Comments
			(vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) with return with loss with lobe\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:45	
176	BRS	0	(vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) with return with loss same lobe\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 13:23	
177	BRS	2	((return adj loss) or (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) and vector\$1 with network with analy\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 13:25	
178	BRS	112	((return adj loss) or (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) and vector\$1 with network with analy\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 13:27	
179	BRS	53	((return adj loss) or (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio)) and vector\$1 with network with analy\$4 and (time-domain or time adj domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 13:27	

	Type	Hits	Search Text	Dbs	Time Stamp	Comments
180	BRS	46	SI183 and (identify\$3 or determin\$3 or measur\$6) with (discontinu\$5 or discontinu\$5 or loss\$2 or interfer\$4 or dismatch\$3 or delay\$1 or fault\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 13:27	
181	BRS	24	((return adj loss) or (vswr or (voltage\$1 adj ((standing adj wave) or standing-wave) adj ratio))) with (identify\$3 or determin\$3 or measur\$6) with (discontinu\$5 or discontinu\$5 or loss\$2 or interfer\$4 or dismatch\$3 or delay\$1 or fault\$1) and vector\$1 with network with analy\$4 and (time-domain or time adj domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 13:28	
182	IS&R	2	("5307284"). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 13:42	

	Type	Hits	Search Text	Dbs	Time Stamp	Comments
183	BRS	0	display\$3 with user\$1 with interface with scrollable and marker with shape\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/02/01 15:55	
184	BRS	0	display\$3 with scrollable and marker with shape\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/02/01 15:55	
185	BRS	8	display\$3 with scrollable and mark\$3 with shape\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/02/01 15:56	
186	BRS	2	display\$3 with scrollable and (marker\$1 or marking) with shape\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/02/01 15:58	
187	BRS	0	display\$3 and user with interface and scrollable with (marker\$1 or marking) with shape\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/02/01 15:59	
188	BRS	0	display\$3 and user with interface and scrollable same (marker\$1 or marking) with shape\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/02/01 15:59	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
189	BRS	8	display\$3 and user with interface and scrollable and (marker\$1 or marking) with shape\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 16:02	
190	BRS	0	display\$3 and user with interface and scroll\$4 with (marker\$1 or marking) with shape\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 16:02	
191	BRS	6	display\$3 and user with interface and scroll\$4 same (marker\$1 or marking) with shape\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 16:02	
192	BRS	0	vector with Network with analy\$3 and display\$3 with electromagnetic with reflect\$3 with discontinuit\$3 with time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/02 08:41	
193	BRS	0	vector with Network with analy\$3 and display\$3 with reflect\$3 with (discontin\$5 or discontinu\$5 or loss\$2) with time and electromagnetic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/02 08:42	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
194	BRS	0	vector with Network with analy\$3 and display\$3 same reflect\$3 with (discontinu\$5 or dis- continu\$5 or loss\$2) with time and electromagnetic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/02 08:43	
195	BRS	2	Network with analy\$3 and (determin\$3 or identify\$3 or measur\$6) with (discontinu\$5 or dis- continu\$5 or loss\$2) and reflect\$6 and (time-domain or time with domain) and electromagnetic with (coherent or cancel\$3 or orthogonal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/02 08:46	

Type	Hits	Search Text	DBs	Time Stamp	Comments
196	BRS 1	Network with analy\$3 and (determin\$3 or identify\$3 or measur\$6) with (discontinu\$5 or dis- continu\$5 or loss\$2 or fault\$1) and reflect\$6 and (time-domain or time with domain) and (display\$3 or output\$3) same electromagnetic with (coherent or cancel\$3 or orthogonal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/02 08:47	
197	IS&R 2	("6842614").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/02 09:45	